



Date: 02 December 2021
Document Code: 79-01
Version: 01

Guidelines

COVID-19 Vaccine Booster Dose Interim Guidelines

While the primary focus and priority of the Covid-19 vaccination campaign remains the UNVACCINATED persons in the community, we are cognizant of the evolving need and rationale for additional / booster doses in specific segments of the population

The following categories of individuals are eligible for a single, additional / booster Covid-19 vaccine dose.

1. Immunocompromised persons of all eligible age groups
2. Citizens, 50 years of age and above
3. Healthcare workers

Timing / interval recommendations

1. It is recommended that the persons receiving this vaccine dose should have received the last vaccine more than 6 months ago
2. Those who are recovering from a recent Covid-19 infection may wait for 28 days before getting a booster dose.

Vaccine type

The booster / additional dose may be the same as the initial vaccine or a different vaccine and this choice should be based on vaccine availability or preference. Sinopharm, Sinovac, Pfizer or Moderna vaccines can be used as boosters.

Note:

Boosters to above categories will be offered from the pool of vaccines procured by the Government of Pakistan

For more information, please contact:

HSA/ HPSIU/ NIH, PM National Health Complex, Islamabad

<http://covid.gov.pk/>

<http://nhsrsrc.gov.pk/>

<https://www.facebook.com/NHSRCSOfficial>

<http://www.hsa.edu.pk/>

<https://twitter.com/nhsrcofficial>

<https://www.nih.org.pk/>

<https://www.youtube.com/NHSRC-PK>